.F.P. 2038

# THE ZOOLOGIST:

A MONTHLY JOURNAL

OF

# NATURAL HISTORY.

FOURTH SERIES .- VOL. XIII.

EDITED BY

W. L. DISTANT.

### LONLON:

WEST, NEWMAN & CO., 54, HATTON GARDEN. SIMPKIN, MARSHALL & CO., Ltd.

1909.



## PREFACE.

THE present volume is of a more general zoological character than any of its immediate predecessors, and if some subjects are less represented, that omission marks the varied studies of its contributors rather than any editorial direction. That 'THE ZOOLOGIST' is taking a wide view of animal life is a subject for congratulation; it is characteristic of its title, and is a fulfilment of its function. The faunal descriptions and lists are an important feature, and in this volume alone we can, among other communications, refer to Dr. Clark's "Notes on Cornish Crustacea," Mr. Patterson's "Rough Notes on the Fish and Fisheries of East Suffolk," Mr. Cummings's "Notes on the Fauna of Lundy Island," Mr. Arnold's investigations on the Eastbourne Crumbles, and Mr. Harcourt-Bath's memoir "On the Vertical and Bathymetrical Distribution of the British non-Marine Mollusca, with Special Reference to the Cotteswold Fauna." This work is of the greatest importance in British Zoology, and can be, and we trust will be, largely increased in the future.

In Ornithology, during what may be called the "Crossbill year," our "Notes and Queries" contain many valuable records; in annual reports are continued those of Mr. Gurney on Norfolk and Mr. Aplin on Oxford; while Messrs. Thorpe and Hope have commenced their digest of the Natural History Record Bureau at Carlisle. In the bionomical pursuit of bird-watching, so pregnant with fresh facts in animal psychology, Mr. Selous

has turned his attention to the "Nuptial Habits of the Black-cock," while in another ornithological byway Dr. Leiper has described a new species of parasitic *Filaria* in the Thrush. Mr. Dewar's "Notes on the Feeding-habits of the Dunlin" are of the greatest interest; Mr. Blathwayt has brought up to date an account of the Lincolnshire Gulleries, and Mr. Boyd Watt has compiled a good "Bibliography of London Birds."

In Philosophical Zoology, Prof. McIntosh has contributed a learned and judicious pronouncement on "The Darwinian Theory in 1867 and Now"; the "List of the Zoological Gardens of the World," by Capt. Stanley Flower, is a thorough and complete treatment of the subject; Mr. Elmhirst's "Notes from Millport Marine Biological Station," we hope, will be continued, and mention must be made of the lengthy and complete enumeration, with bibliographical references, of the "Hymenopterous Parasites of Rhynchota," by Mr. Claude Morley.

In conclusion, the thought must be driven home to all of us, by the perusal of a single volume of this publication, how much can and is still to be done in British Zoology alone. A competent zoologist could devote his life's work to studying the animal life—in all its phases—of his own garden; he could soon compile a list of names, but a complete knowledge of the life-histories of these species is known to few indeed, while the bionomics of the whole of the living creatures to be found on a half-acre patch may be safely said to be at present outside the mental recognition of any one naturalist.



# CONTENTS.

### ALPHABETICAL LIST OF CONTRIBUTORS. >

Adams, Lionel E., B.A.
Additional notes on Flying-Fish,
204

APLIN, O. V., F.L.S., M.B.O.U.

Hoopoe in Northamptonshire, 315; Cormorant in Warwickshire, 315; Notes on the Ornithology of Oxfordshire (1908), 321; Cormorant in Warwickshire, 398; Little Bittern in Oxfordshire, 468; Bittern in Warwickshire, 469; Brown-throated Quail in Oxfordshire, 469

Arnold, E. C.
The Eastbourne Crumbles, 64

ATLEE, H. G.

Note on an Eagle in North Wales, 349; Early appearance of seabirds in and round London, 349

BARBER-STARKEY, F.

Weasel caught in Mole-trap, 195
BARRETT-HAMILTON, G. E. H., Major,
F.Z.S.

Local name of Corn-Crake, 30

BELL-MARLEY, H. W.

Hunting the Hump-back Whale in Natal waters, 54

Benson, Rev. Charles W., LL.D. Some Swiss birds observed at the Rhone Glacier, Kleine Scheidegg, and Macolin, Jura Bernoise, in 1909, 393

BLATHWAYT, Rev. F. L., M.A., M.B.O.U.

Lincolnshire Gulleries, 139

BUNTING, R. H.

Mammals of the Channel Islands,

BUTTERFIELD, E. P.

Breeding of Coal-Tit in Wilsden district, 75; Two young Cuckoos fed by a Titlark, 76; Notes from Wilsden, Yorkshire, 273; The Whinchat at Wilsden, 897 BUTTERFIELD, W. RUSKIN
An early work on bird-migration,
71

CARR, Prof. J. W., M.A., F.L.S. Nottinghamshire bird-notes, 113 CLARK, JAMES, M.A., D.Sc. A.R.C.S. Notes on Cornish Crustacea, 281

Cocks, Alfred Heneage, M.A., F.S.A., F.Z.S., M.B.O.U.

The Greater Horseshoe Bat in Berks, with notes on some other species, 154

CORBIN, G. B.

Strange death of a Kingfisher, 155; Notes from South-western Hants, 157; Early appearance of the Swift, 196, 348; The Smooth Snake in Hants, 353

COWARD, T. A.

Black Grouse, male, in Cheshire, 77; Vertebrate Fauna of Cheshire, 317

CUMMINGS, BRUCE F.

Ornithological notes from North Devon, 253; Notes on the fauna of Lundy Island, 441

DALGLIESH, GORDON

Golden-eye in Surrey, 156, 198; Notes on the Common Mayfly and other species, 264

DARLING, A. E.

Household visits by Sand-Martins and Swallows, 437

DEWAR, J. M.

Notes on the feeding-habits of the Dunlin, 1

DISTANT, W. L.

Obituary notices of Edward Hamilton Aitken, 233, William H. Edwards, 235, and Thomas Southwell, 354

Donisthorpe, Horace St. John K., F.Z.S.

Formica sanguinea, Ltr., at Bewdley, with an account of a slave-

raid, and description of two gynandromorphs, &c., 463

DUNCALFE, A. HUGH

Nesting of the Nightingale on the borders of Staffordshire and Shropshire, 28; Nesting of the Lesser Spotted Woodpecker and the Great Spotted Woodpecker in Staffordshire, 29

DYE, B.

Ring-Ouzel at Yarmouth, 227

EASTWOOD, G. HERBERT

Rough-legged Buzzard in Surrey, 468

ELLIOTT, J. STEELE

Notes on the nesting of the Sparrow-Hawk, 467

ELMHIRST, RICHARD, F.L.S.

Notes from Millport Marine Biological Station, 201

FARN, A. B.

Wood-Warbler on bank of Wye, Hereford, in January, 28

FENWICK, N. P., Jun.

Raven in Surrey, 398
FLOWER, Captain STANLEY S., F.Z.S.

A list of the Zoological Gardens of the World, 161

FORREST, H. E.

Nightingale breeding in Shropshire, 74; Erythristic variety of the Field-Vole, 270

FORTUNE, R.

Nordmann's Pratincole in Yorkshire, 399

FOWLER, W. WARDE, M.A.

"Where are our Nuthatches?," 155; Bonelli's Warbler in Switzerland, 241

GURNEY, J. H., F.Z.S.

Ornithological Report for Norfolk (1908), 121

GYNGELL, WALTER

Late stay of the Brambling, 196; Wryneck in Yorkshire, 467

HARCOURT-BATH, W.

On the vertical and bathymetrical distribution of the British non-Marine Mollusca, with special reference to the Cotteswold fauna, 41; Obituary notice of the Rev. H. Milnes, M.A., 234

HOPE, LINNÆUS E.

Roller in Cumberland, 156; Natural History Record Bureau (1908) the Museum, Carlisle, 187; The Bean-Goose on the Solway, 350; Nesting of the Wigeon in Cumberland, 351

Jourdain, Rev. Francis C. R., M.A., M.B.O.U., &c.

Rough notes on Derbyshire natural history (1906-9), 106; Shoveler breeding in North Devon, 316

Kelso, J. E. H., M.D., M.B.O.U. Bird-notes from the Tyrol, 78; "Where are our Nuthatches?,"

KERR, GRAHAM W.

Marsh-Warbler breeding in Bucks, 397

KIRBY, W. F., F.L.S., &c.

Obituary notice of Hastings Charles Dent, 199

LEIPER, ROBERT T., M.B., F.Z.S.

Description of Filaria mavis, n. sp., from the Thrush, 337; Checklist of the generic names of Leeches, with their type-species, 422

MACKEITH, T. THORNTON

Courage in the Weasel, 28; Notes on the birds of West Renfrewshire (Caldwell district) during 1908, 228

MASEFIELD, JOHN R. B.

Breeding of the Nightingale in Staffordshire, 75; Honey-Buzzard in Staffordshire, 76; "Vertical distribution of the Mollusca," 156; Redshank carrying young (?), 272

McClymont, J. R.

The geographical distribution of the land-birds of the Banda Islands, 330

R

R

R

McIntosh, Prof. W. C., M.D., LL.D., F.R.SS. L. & E.

The Darwinian theory in 1867 and now, 81; Notes on the Fishes of Japan (No. IV.), 256

MEADE-WALDO, E. G. B., M.B.O.U. "Where are our Nuthatches?,"

MENEGAUX, Dr. A.

American Egrets as victims to fashion, 245

MEYRICK, Lieut.-Col. H.

Mealy Redpoll at Hampstead, 196; Lesser Redpoll, 270; Avocet, 316

Morley, Claude, F.E.S., F.Z.S. On the hymenopterous parasites of Rhynchota, 213, 309, 340, 427 Morley, J.

Ornithological notes from Scarborough, 78

Morris, Robert

"Where are our Nuthatches?,"

NEWSTEAD, ALFRED

Black Grouse, male, in Cheshire, 77; Ornithological records for Chester and North Wales since January, 1908, 78

' NORTH QUEENSLAND HERALD,' LON-DON CORRESPONDENT OF

Trachinotus ovatus an enemy to the Queensland Oyster-fisheries,

OLDHAM, CHARLES, F.Z.S., M.B.O.U. Smew in Middlesex, 77; Redthroated Diver in Hertfordshire, 77; Palmated Newt in Hertfordshire, 354

PARKIN, THOMAS

The Common Buzzard in East Sussex, 348

PATTERSON, ARTHUR H., A.M.B.A. Correction (" Porpoise-hide"), 74; Some mud-flat bird-notes, 208; Red-legged Partridge at Yarmouth, 197; Rough notes on the fish and fisheries of East Suffolk, 361, 414, 447; Some migration-notes from Yarmouth,

QUINTIN, W. H. ST., F.Z.S.

The reported Great Bustard in Yorkshire, 113

READ, ROBERT H.

Birdsnesting in August, 352

RAWLINGS, F. C.

Sooty Tern near Barmouth, 438 RITCHIE, JAMES, M.A., B.Sc.

Two unrecorded 'Challenger' Hydroids from the Bermudas, with a note on the synonymy of Campanularia insignis, 260

Robinson, H. W.

The occurrence of the Bean-Goose in Cumberland, 270; Nesting of the Wigeon in Cumberland, 271

ROPE, G. T.

Redshank carrying young (?), 273 Rose, J.

A white Chaffinch, 315

SELOUS, EDMUND

An observational diary on the nuptial habits of the Blackcock in Scandinavia and England, 401

SHEPPARD, T.

"A List of the Zoological Gardens of the World," 233, 470

SMALLEY, F.

Cormorant in Warwickshire, 350 SOUTHWELL, THOMAS, F.Z.S.

Arctic Whale-fishery in 1908, 26

SWINTON, A. H.

The vocal and instrumental music of insects, 17, 145

THORPE, D. LOSH

Natural History Record Bureau (1908) — the Museum, Carlisle, 187; Thicknee in Cumberland, 197; The Bean-Goose on the Solent, 350; Nesting of the Wigeon in Cumberland, 351

TODD, WILLIAM A.

Some ornithological notes from North-east Surrey, 231

Tuck, Rev. Julian G., M.A. Notes on nest-boxes, 316

WADHAM, PERCY

Mammals of the Isle of Wight—a correction, 348

WARREN, ROBERT

Large take of Herrings in the Moy Estuary, Killala Bay, 32; Snow-Geese in Co. Mayo, 76; An instance of affection evinced by Ferrets for their feeder, 226; Some bird-notes from Ballina, 227; A monster Pike, 274; Reeve in Co. Mayo, 399

WATT, HUGH BOYD

Bibliography of London birds, 15; Obituary of Charles Berry, 115 Workman, W. H., M.B.O.U.

Bird-notes from the Tyrol, 30

#### ALPHABETICAL LIST OF SUBJECTS.

Abramis blicca, 455; brama, 390, Acanthias vulgaris, 459 Acanthinula aculeata, 52 Acanthocephala femorata, 436 Acanthocerus galeator, 436 Accipiter nisus, 467 Acerina vulgaris, 415 Acheta campestris, 19 Acicula lineata, 53 Acipenser sturio, 457 Acrocephalus aquaticus, 69; palustris, 397; phragmitis, 31; streperus, 107 Acyoptera variegata, 150 Ægialitis hiaticula, 65 Aglaophenia cylindrata, new to fauna of Bermudas, 261 Agonus cataphractus, 417 Agriolimax agrestis, 52 Ajaja ajaja, 246 Alcedo hispida, 80, 155 Alopecias vulpes, 459 Alpheus macrochiles (edwardsii), 306; ruber, 306 Amblycorypha rotundifolia, 150 Ammodytes lanceolatus, 449; tobianus, 449 Anapagurus hyndmanni, 300; lævis, 300 Anarrichas lupus, 420 Anasa tristis, 436 Anaspides tasmaniæ, 199 Anchovy, Japanese, 257 Ancylochilus subarquatus, 335 Animals and plants, dividing-line between, 116 Anisoptera fuscum, 25 Anoplocnemis curvipes, 216 Anser brachyrhynchus, 113; sp.?, Anthus obscurus, 79; spipoletta, 68; trivialis, 107 Apateticus maculiventris (spinosus), 216; modestus, 216 Aphididæ spp. ?, 434 Aphis spp.?, 342, 343; amygdali, 428; aparines, 428; atriplicis, 347; brassicæ, 343; cardui, 427; cratægaria, 344; crithmi, 428; epilobii,

346; euonymi, 346; euphorbiæ, 428;

hieracii, 346; ilicis, 346; instabilis, 427; jacobæ, jacobææ, 346; lychnidis, 346; mali, 344; medicaginis, 429; monardæ, 429; myosotidis, 428; papaveris, 427; primulæ, 429; pruni, 345; pteridis, 429; pyraria, 345; rumicis, 346; sambuci, 427; scabiosæ, 345; tanacetina, 345; urticaria, 345 Apus apus, 108 Aquila chrysaëtus, 80 Arctic Whale-fishery in 1908, 26 Arctus ursus, 303 Ardea alba, 245; purpurea, 390 Ardetta minuta, 468 Arion ater, 52; hortensis, 52 Arnoglossus laterna, 450 Asio accipitrinus, 69, 254 Astacus gammarus (Homarus vulgaris), 303 Astur polionotus, 331 Atelecyclus septemdentatus, 286 Athanus nitescens, 306 Athene noctua, 109, 113 Atherina presbyter, 420 Athysanus sp. ?, 218; obsoletus, 218; plebeja, 219; plebejus, 218; sordidus, 219 Avocet at Hampstead, 316 Axius stirynchus, 301 Azeca tridens, 49, 53

Balea perversa, 53, 156 Ballina, bird-notes from, 227 Banda Islands, land-birds of, 330 Barbastella barbastellus, 154 Barrow Island as Fauna Reserve, 240 Bat, Greater Horseshoe, in Berks, 154; Pipistrelle, in Channel Islands, 74 Bathynectes longipes, 288 'Beagle' as a Japanese training-ship, Belone vulgaris, 453 Bermudas, two unrecorded Hydroids from, 260 Bibliography of London birds, 15; of Zoological Gardens of the World, 186 Bird-migration, an early work on, 71

Bird-notes, some mud-flat, 208

Birds and butterflies, 36

Birds, London, bibliography of, 15; of Eastbourne Crumbles, 64; larval nematodes in blood of, 337; some Swiss, 30, 393; morality in, 360

Birdsnesting in August, 352

Birgus latro, 439

Bittern in Warwickshire, 469; Little, in Oxfordshire, 468

Blackbird, 31

Blackcock, observational diary of the nuptial habits, in Scandinavia and England, 401

Blackstart, 31

Blastus tetraodon, 294

Blatta germanica, 21

BOOKS NOTICED :-

The Sportsman's British Bird Book, by R. Lydekker, 34

A List of Irish Birds, by Richard J. Ussher, 35

Animal Romances, by Graham Renshaw, 36

The Edible Fishes of New South Wales, by David G. Stead, 36

The Culture of Vegetables and Flowers (Pests of Garden Plants),

by Sutton & Sons, 37

A Treatise on Zoology, edited by Sir Ray Lankester, Part I. Introduction and Protozoa, First Fascicle by S. J. Dickson, J. J. Lister, F. W. Gamble, A. Willey, H. M. Woodcock, the late W. F. R. Weldon, and E. Ray Lankester, 116

The Life of Philibert Commerson, D.M., Naturaliste du Roi, an Old-World Story of French Travel and Science in the days of Linnæus, by the late Capt. S. Pasfield Oliver, and edited by G. F. Scott Elliot, 117

Catalogue of the Noctuidæ in the Collection of the British Museum, by Sir George F. Hamp-

son, 119

A Naturalist in Tasmania, by Geoffrey Smith, 199

Mendel's Principles of Heredity, by W. Bateson, 236

A Student's Text-Book of Zoology, by Adam Sedgwick, 237

A Treatise on Zoology, edited by Sir Ray Lankester, Part VII., Crustacea by W. T. Calman, 238 The Foundations of the Origin of Species, a Sketch written in 1849 by Charles Darwin, edited by his son, Francis Darwin, 275 The Life of a Fossil-Hunter, by Charles H. Sternberg, 276

A Guide to the Natural History of the Isle of Wight, edited by Frank Morey, 318, 348

A Survey and Record of Woolwich and West Kent, edited by C. H. Grinling, T. A. Ingram, and B. C. Polkinghorne, 319

The Making of Species, by Douglas Dewar and Frank Finn, 357

The Wild Beasts of the World, by Frank Finn, 358, 400

The Kea, a New Zealand Problem, by George R. Marriner, 399

The Cambridge Natural History, Vol. IV., by Geoffrey Smith, Henry Woods, A. E. Shipley, Cecil Warburton, and Professor D'Arcy W. Thompson, 439

Egyptian Birds, for the most part seen in the Nile Valley, by Charles Whymper, 440

The Place of Animals in Human Thought, by the Countess Evelyn Martinengo Cesaresco, 470

The Home-life of a Golden Eagle, photographed and described by H. B. Macpherson, 472

Botaurus stellaris, 469

Brambling, late stay of, 196 Branchiostoma lanceolatum, 461

Breeding of Nightingale in Shropshire, 28, 74,—in Staffordshire, 28, 75; Lesser Spotted Woodpecker and Great Spotted Woodpecker in Staffordshire, 29; Cole-Tit in Wilsden district, 75; Redshank and Shoveler in North Devon, 255, 316; Wigeon in Cumberland, 271; Sparrow-Hawk in Shropshire, 467

Brill var. (Plate IV.), 450 Brochymena arborea, 436

Bubo ignavus, 79

Buccinum undatum, 201

Bullfinch, 31

Bunting, Common, 232; Little, in Norfolk, 124

Bustard, Great, reported near Scarborough, 78, 113

Buteo lagopus, 109, 113, 468; vulgaris, 78, 253, 348

Buzzard, Common, 138, 395,—in East Sussex, 348; Honey, in Staffordshire, 76; Rough-legged, in Surrey, 468 Caccabis rufa, 197, 253 Calathus cisteloides, 445 Calcarius lapponicus, 66 Callianassa subterranea, 301 Callionymus lyra, 419 Callipterus betularius, 431; coryli, 431; quercus, 431 Calocaris macandreæ, 301 Campanularia insignis, synonymy of, Cancer pagurus, 292 Cancroma cochlearia, 246 Caprimulgus europæus, 69, 109 Capros aper, 418 Carassius gibelio, 453; specularis, 454; vulgaris, 453, 454 Carcharias glaucus, 458, 459; lamia?, 458; vulgaris, 458 Carcinus mænas, 288 Carduelis elegans, 78 Carychium minimum, 53 Centronotus gunnellus, 420 Centropristes atrarius, 391 Cercopidæ spp. ?, 218 Ceresa bubulus, 437 Cetonia aurata, 445 Chaffinch, 31, 315, 353 Chaitophorus aceris, 430; populi, 429 Chalcophaps chrysochlora, 336 Channel Islands, mammals of, 74 Chelidon urbica, 31, 108 Chelidoptera affinis, 148; albopunctata, 147; bicolor, 147; brachyptera, 148; tessellata, 147 Chenalopex ægyptica, 110 Cheraphilus ranus, 304; trispinosus, 304 Chermes sp. ?, 433; abietis, 434; bauhini, 434; corticalis, 433; laricis, 434 Chester and North Wales, ornithological notes from, 78 Chiffchaff, 395 Child severely bitten by rats, 120 Chloris chloris, 109 Chough, Alpine, 394, 395 'Christ's College Magazine,' "Darwin Centenary Number" of, 278 Chrysophanus phlæas, 445 Chrysophrys aurata, 416 Cicadula septemnotata, 219; sex-notata, 219 icindela campestris, 445 Ciconia alba, 30 Cinclus albicollis, 31 Cixius contaminatus, 217 Clangula glaucion, 68, 156, 198 Clausilia bidentata, 45, 48, 49, 50,

51, 53; biplicata, 53; laminata, 45, 49, 53; rolphii, 49, 53 Clupea alosa, 456; harengus, 456; pallasi, a Japanese fish, 256; pilchardus, 456; pinta, 456; sprattus, 382, 456 Coccinella distincta, 466 Cochlicella barbara, 52; cantiana, 52 Cochlicopa lubrica, 50, 53 Cœcilioides acicula, 49, 53 Cononympha pamphilus, 445 Coluber lævis, 353 Colymbus septentrionalis, 77 Conger vulgaris, 457 Conchoderma auritum, 62, 63 Conocephalus mandibularis (Conocephaloides nitidulus), 24; robustus, 25 Coracias garrulus, 156 Cormorant in Warwickshire, 315, 350, 398 Coronula balænaris, 62; diadema, 62 Corvus corax, 31, 78, 398; frugilegus, 31 Corymbetes æneus, 445 Coryphæna hippuris, 256 Corystes cassivelaunus, 285 Terrestrial Cotteswold Mollusca, pioneer list of, 52 Cottus bubalis, 416; gobio, 416; grœnlandicus, 416; quadricornis, 416; scorpius, 203, 416 Coturnix communis, 31; coturnix, 111 COUNTY RECORDS:-Berkshire — Greater Horseshoe Bat, &c., 154 Buckinghamshire — Marsh-Warbler, 397 Cambridgeshire - Birdsnesting, Cheshire—Black Grouse, 77; Ornithological records, 78; Vertebrate fauna, 317 Cornwall—Crustacea, 281 Cumberland—Roller, 156; Natural History Record Bureau, 187; Thicknee, 197; Bean-Goose, 270, 350; Wigeon, 191, 271, 351 Derbyshire - Natural History of, Devonshire—Ornithological notes, 253; Shoveler, 255, 316; Whitetailed Eagle, 254; Redshank, 255; Fauna of Lundy Island,

Gloucestershire—British non-Ma-

rine Mollusca, 41, 156

Hampshire — Kingfisher, 155; Notes, 157, 197; Nuthatch, 195; Swift, 196, 348; Chaffinch (var.), 315, 353; "White-sided Dolphin" (Isle of Wight), 348; Smooth Snake, 353

Herefordshire — Wood-Warbler, 28

Hertfordshire—Red-throated Diver, 77; Palmated Newt, 354

Kent—Partridges migrating, 39; Nuthatch, 196

Lincolnshire-Gulleries, 139

Middlesex — London birds, 15; Smew, 77; Mealy Redpoll, 196; Pied Flycatcher, 196; Lesser Redpoll, 270; Avocet, 316; Seabirds in and round London, 349

Norfolk—"Porpoise-hide," correction respecting, 74; Ornithological report (1908), 121; Child severely bitten by rats, 120; Red-legged Partridge, 197; Mudflat bird-notes, 208; Ring-Ouzel, 227; Migration-notes from Yarmouth, 469

Northamptonshire—Hoopoe, 315 Nottinghamshire — Bird notes, 113

Oxfordshire — Nuthatch, 155; Ornithology of (1908), 321; Little Bittern, 468; Brownthroated Quail, 469

Shropshire—Nightingale, 28, 74; Weasels caught in Mole-trap, 195; Field-Vole (var.), 270;

Sparrow-Hawk, 467

Staffordshire — Nightingale, 28,
75; Great Spotted Woodpecker,
29; Lesser Spotted Woodpecker,
29; Honey-Buzzard, 76; Redshank, 272

Suffolk — Redshank, 273; Nestboxes, 316; Fish and Fisheries of East Suffolk, 361, 414, 447

Surrey — Golden-eye, 156, 198; Ornithological notes, 231; Common Mayfly, 264; Raven, 398; Sand-Martin, 437; Rough-legged Buzzard, 468

Sussex—The Crumbles, 64; Nuthatch, 315; Common Buzzard,

348

Warwickshire — Cormorant, 315, 350, 398; Bittern, 469

Worcestershire—Formica sanguinea, 463 Yorkshire—Coal-Tit, 75; Cuckoos fed by Titlark, 76; Ornithological notes, 78, 273; Egg-depositing by Cuckoo, 273; Great Bustard?, 113; Brambling, 198; Whinchat, 397; Nordmann's Pratincole, 399; Wryneck, 467

Crake, Corn, local name of, 30 Crangon alkmanni, 305; vulgaris, 305, 382

Crossbill, 30, 79 Crow, 395; Carrion, 232

Crows, marked, 134 Crumbles, Eastbourne, birds of, 64

Crumbles, Eastbourne, birds of, 64 Crustacea, Cornish, notes on, 281 Cryptosiphum gallarum, 430 Ctenolabrus rupestris, 202, 421

Cuckoo, two young of, fed by Titlark, 76,—egg-depositing by, 109, 273, 274, 316, 353, 397, 398; Oriental, 331

Cuculus canorus, 76, 109, 273, 274, 316, 353, 397, 398; intermedius, 331

Curtilla vulgaris, 18 Cyamus erraticus, 63 Cyanecula suecica, 67 Cyclopterus lumpus, 419 Cydippe pileus, 382

Cygnus bewicki, 110; musicus, 110 Cylisticus convexus, 445

Cyprinus auratus, 453; carpio, 453; specularis, 390 Cypselus apus, 196

Darwin, what we owe to, Prof. Thomson on, 359; his original coffin, 120

Darwinian theory in 1867 and now, 81

Daulias luscinia, 28, 74, 75, 107 Deilephila euphorbiæ, 19

Deltocephalus assimilis (xanthoneu rus), 219; maculiceps, 219

Dendrocopus major, 29, 78, 113; minor, 29

Derbyshire natural history, rough notes on (1906-8), 106

Devon (North), ornithological notes from, 253

Dinarda dentata, 466 Diogenes varians, 300

Diver, Red-throated, in Hertford-

shire, 77 Dogger Bank (fig.), 122

Drepanosiphum acerina, 313; platanoides, 313

Dromia vulgaris, 297

Duck, Golden-eye, in Surrey, 156, 198; Scoter, in South-western Hants, 159; Tufted, 233 Dunlin, 232; feeding-habits of, 1 Dysdercus suturellus, 437

Eagle (sp.?) in North Wales, 349; Golden, mode of flight, in the Tyrol, 80; White-tailed, in North Devon, 254

Eastbourne Crumbles, birds of, 64 Ebalia cranchii, 297; tuberosa, 297; tumefacta, 297

Edoliosoma dispar, 336

Eels and their movements, 160, 240 Egeon fasciatus, 305; sculptus, 305 Egrets, American, as victims to

fashion, 245, 249 Emberiza citrinella, 31; miliaria, 352; pusilla, 124

Ena montana, 45, 49, 53; obscura, 45, 47, 49, 50, 53, 156

Engraulis japonicus, a Japanese fish, 256

Ephemera danica, 268; vulgata (fig.), 264

Ephippiger provincialis, 22; selligera (Steropleurus andalusius), 22; vitium (ephippiger), 21

Epinephele ianira, 445

Esox lucius, 452

Etrumeus micropus, a Japanese fish, 256, 257

Euconulus fulvus, 50, 52

Eudynamis cyanocephala, subsp. everetti, 331

Eupagurus bernhardus, 298; cuanensis, 299; prideauxi, 299; sculptimanus, 300

Euphorus bistigmaticus, 466

Eupteryx vittata, 219

Euryaster integriceps, 215; maura, 214

Eurydema festivum, 215; oleraceum, 215

Eurynome aspera, 292 Eurystomus australis, 330 Euschistus servus, 436 Evolution, organic, 236 Exocœtus volitans, 453

Falco æsalon, 110; peregrinus, 78, 110; subbuteo, 110; tinnunculus, 31

Falcon, Peregrine, 444
Fauna of Lundy Island, 441
Feeding-habits of Dunlin, 1; Cod,
201; Conger-Eel and some other

fish in captivity, 202; Heron, 208; Gulls, 209; Greenshank, 210; Redshank, 211; Knot, 211; Whimbrel, 211

Ferrets' affection for their feeder, 226

Filaria mavis, n. sp., description of, 337; abbreviata, 339

Finch, Serin, 394; Snow, 394

Fish, large, caught in 1908, 38, 159; of Japan, 256

Fish and Fisheries of East Suffolk, 361, 414, 447

Flycatcher, Pied, at Hampstead, 196; Red-breasted, on a smack at anchor, 132

Flying-Fish, additional notes on, 204
Formica fusca var. rubescens, 466;
sanguinea, at Bewdley, with an
account of a slave-raid, and description of two gynandromorphs,
&c., 463,—fig., 465

Fossil-hunting, 277

Fringilla cœlebs, 31; montifringilla, 196

Fuligula cristata, 69; ferina, 110; fuligula, 111

Gadus æglefinus, 447; callarias, 201; luscus, 447; merlangus, 448; morrhua, 447; morrhua-callarias, 447; pollachius, 448; virens, 448

Galathea dispersa, 303; intermedia, 302; nexa, 302; squamifera, 302; strigosa, 302

Galeus vulgaris, 458 Garzetta garzetta, 245

Gasterosteus aculeatus, 319, 414; gymnurus, 414; pungitius, 414; spinachia, 414; trachurus, 414

Gecinus viridis, 253 Gerris lacustris, 216

Giza (Egypt) Zoological Gardens (Plate III.), 168; Report for 1908, 280

Gizzard of Hooded Crow, stones in (fig.), 134, 135

Glareola melanoptera, 399 Glottis nebularius, 334

Glyphina eragrostidis, 433 Gobio fluviatilis, 454

Gobius auratus, 382, 419; minutus, 419

Goldcrest, 394

Goldfinch in South-western Hants, 159

Gonoplax rhomboidalis (angulata), 284 Goose, Bean, in Cumberland, 187, 270, 350; Snow, in Co. Mayo, 76
Goshawk, Hoary-backed, 331
Grebe, Great Crested, 30, 233; Little, 233
Greenshank, 334,—feeding-habits of, 210; Marsh, 333
Grouse, Black, in Cheshire, 77; Senegal Sand, 440
Gryllus domesticus, 20; niger, 20
Gull, Common, 233; Lesser Blackbacked, 233
Gulls, feeding-habits of, 209
Gulleries, Lincolnshire, 139

Haliætus albicilla, 254 Halichærus grypus, 442 Hæmatopus ostralegus, 111 Hants, bird-notes from, 157 Hawfinch, 232 Hawk, Sparrow, on nesting of, 467 Helicella cantiana, 49; caperata, 48, 52, 156; itala, 47, 52, 156; virgata, 48, 52 Helicigona arbustorum, 48, 53, 156; lapicida, 48, 53, 156 Helix aspersa, 21, 50, 53; hortensis, 48, 53; nemoralis, 47, 48, 53; pomatia, 45, 47, 53, 156 Helops striatus, 445 Heron, 232; contents of stomach(fig.), 135, 136; feeding-habits of, 208 Herrings, large take of, in Moy Estuary, Killala Bay, 32 Heteractitis brevipes, 333 Hippocampus antiquorum, 457 Hippoglossus vulgaris, 449 Hippolyte fascigera, 307; viridis, 307 Hirundo rustica, 31 Holcogaster fibulata, 215 Holsatus, 364 Hoopoe, 31; in Northamptonshire, Hyalopterus arundinis, 429; pruni, Hyas araneus, 293; coarctatus, 293 Hydrochelidon hybrida, 56; nigra, Hydroids, two unrecorded 'Challenger,' from the Bermudas, 260

Idotea, 391; linearis, 456 Inachus dorsettensis, 294; dorynchus, 295; leptochirus, 295

Hygromia fusca, 49, 52, 156; granu-

lata, 52; hispida, 50, 52, 156;

Hydropedeticus vitiensis, 19

rufescens, 47, 52

Insects, vocal and instrumental music of, 17, 145

IRELAND—Corn-Crake, 30; Herrings in Moy Estuary, 32; Snow-Geese, 76; Ferrets' affection for their feeder, 226; Ornithological notes, 227; Monster Pike, 274; Reeve, 399

Istiophorus orientalis, a Japanese fish, 256 Iÿnx torquilla, 467

Jackdaw, 444; and fried potatochips, 212 Jaminia cylindrica, 53; muscorum, 53; secale, 48, 50, 53 Japan, fishes of, 256 Jay, 395

Kea, the, a New Zealand problem, 399 Kestrel, 231 Kingfisher, 80, 232; strange death of a, 155 Kite, Black, 395 Knot, feeding-habits of, 211

Labrax lupus, 415

Labrus bergylta, 202; maculatus, 421 Lachnus spp. ?, 432; australis, 432; pini, 432 Lælaps cunifer, 466 Læmargus borealis, 459 Lafoëa venusta, new to fauna of Bermudas, 260 Lamna cornubica, 458 Land-birds of Banda Islands, geographical distribution of, 330 Lanius collurio, 31, 108; excubitor, Lapwing, breeding-habits of, 65 Largus succinctus, 437 Larus argentatus, 112; cirrocephalus, 55; dominicanus, 55; fuscus, 112; ridibundus, 111, 139 Latrunculus albus, 419 Leander serratus, 308; squilla, 308

Leeches, check-list of the generic names of, with their type-species, 422
Leptodermis gracilis, 150
Leptophyes punctatissima, 149
Leuciscus buggenhagii, 455; cephalus, 454; erythropthalmus, 454; phoxinus, 455; rutilus, 454; vulgaris, 455
Limax arborum, 52; flavus, 52; maximus, 52; tenellus, 51

Limonites ruficollis, 335 Limosa lapponica, 113 Linnet, 394 Linota linaria, 196; rufescens, 270 Liparis montagui, 420; vulgaris, 419 Locustella nævia, 107, 253 Loligo media, 382; rondeletti, 382 Lophius piscatorius, 420 Lota vulgaris, 448 Loxia curvirostra, 30, 79, 108 Lundy Island, fauna of, 441; sketchmaps of, 441, 446 Lutra lutra, 106 Lycæna alexis, 445; astrarche, 445 Machetes pugnax, 68, 78, 113, 399 Macropodia egyptia, 296; longirostris, 296; rostratus, 295 Macropus isabellinus, 240 Mactra stultorum, 383 Malurus eduardi, 240 Mamaia squinado, 293; (Maia) squinado, 294 Mammals of Channel Islands, 74; of Isle of Wight, 318, 348 Marine Biological Station, Millport, notes from, 201 Martin, House, 31, 394; Sand, household visits by, 437 Maurolicus borealis, 392 Mayfly, Common (fig.) and other species, notes on, 264 Meconema thalassina, 150 Megapodius duperreyi, 331 Megaptera longimana, 54 Megoura solani, 313; viciæ, 313 Melanoxanthus salicis, 340 Meles meles, 106 Melizophilus undatus, 70 Membracidæ spp. ?, 217 Mergulus alle, 112 Mergus albellus, 77; serrator, 78 Merlucius vulgaris, 448 Micropterus salmonoides, 415 Microtus agrestis, 270 Migration of birds, 39, 71, 121, 122, 129, 131, 133; notes on, from Yarmouth, 469 Milax gagates, 52 Minuda rugosa, 301 Molge palmata, 189, 384 Mollusca, British non-Marine, vertical and bathymetrical distribution of, with special reference to the Cotteswold fauna, 41, 156 Molva vulgaris, 448

Monkeys, do they speak?, Mr. R. L. Garner on, 278 Motacilla flava, 67; melanope, 336; raii, 66 Motella mustela, 449; tricirrata, 449Mud-flat bird-notes, 208 Mugil capito, 420; chelo, 421 Mullus surmuletus, 415 Murgantia histrionica, 434 Mus flavicollis, 316; furculinus, 240; musculus, 442; norvegicus, 442; rattus alexandrinus, 442; rattus rattus, 442 Muscicapa atricapilla, 78, 108, 196 Music, vocal and instrumental, of insects, 17, 145 Myliobatis aquila, 461 Myotis bechsteini, 154; daubentoni, 154; mystacinus, 155; nattereri, Myrmica lævinodis, 466 Myzus cerasi, 312; ribis, 313 Natal waters, Hump-back Whale in, 54 Natural History Record Bureau (1908)—the Museum, Carlisle, 187 Nature Study Exhibition, 198 Naucrates ductor, 418 Nebria brevicollis, 445 Nemachilus barbatulus, 456 Nematodes, larval, in blood of birds, Nemobius sylvestris, 20; vittatus (fasciatus var. vittatus), 20 Neocurtilla borealis, 19 Nephrops norvegicus, 303 Nerophis lumbriciformis, 457 Nest-boxes, notes on, 316 Newt, Palmated, in Westmorland, 189; in Hertfordshire, 354 Nightingale breeding in Shropshire, 28, 74; in Staffordshire, 28, 75 Nika couchii, 304; edulis, 304 Noctuidæ, in British Museum, 119; geographical distribution of, 119 Norfolk, ornithological report for 1908, 121Notonecta glauca, 217 Notothecta flavipes, 466 Nottinghamshire, bird-notes from, 113 Numenius phæopus, 111; variegatus, 333; sp.?, 61 Nuthatch near Scarborough, 78 Nuthatches, our, where are they?,

155, 195, 196, 315

OBITUARY:-Aitken, Edward Hamilton, 233 Berry, Charles, 115 Dent, Hastings Charles, 198 Edwards, William H., 235 Milnes, Rev. H., 234 Southwell, Thomas (with portrait), 354Wardle, Thomas, Sir, 39 Ochthodromus geoffroyi, 332; mongolus, 332 Ecanthus pellucens, 20 Œdemia nigra, 111 Œdicnemus scolopax, 197 Œdipoda cerulescens, 150; sulphurea, 150Ophiocoma rosula, 383 Ophiodes lunaris, 19 'Origin of Species,' the foundations of, 275 Ornithological notes from Ballina, 227; Chester, 78; Devon (North), 253; Hants (South-western), 157, 197; Nottinghamshire, 113; Ren-(West), 228; frewshire borough, 78; Surrey (North-east). 231; Tyrol, 30, 78; Wales (North), 78; Wilsden (Yorkshire), 273 Ornithological report for Norfolk (1908), 121Ornithology of Oxfordshire (1908), Orphania denticauda, 149 Orthagoriscus mola, 457 Osmerus eperlanus, 452 Ossifraga gigantea, 56 Otocorys alpestris, 66 Ouzel, Alpine Water, 31, 80; Ring, at Yarmouth, 227 Owl, Barn, luminous, 125; Eagle, 79 Oxfordshire, ornithology of, 321 Oystercatcher, 444 Oyster-fisheries, Queensland, 114 Pachypsilla celtidis gemma, 220

Pachypsilla celtidis gemma, 220
Pachytylus migratorius, 152
Pagellus centrodontus, 415
Pagurus fasciatus, 301
Palæmon varians, 414
Palæmonetes varians, 308
Palinurus vulgaris, 303
Pandalina brevirostris, 307
Pandalus annulicornis, 382; montagui, 307
Paradrymadusa, 149
Paranaspides lacustris, 200
Parasites, minute animal, 117; hymenopterous, of Rhynchota, 213,

309, 340, 427; in the blood of birds, 237; on Whales, 62
Partridge, migration of, 39; Redlegged, at Yarmouth, 197 Parus ater, 31; major, 30 Passer domesticus, 31 Pemphigus bumeliæ, 433; bursarius, 433; filaginis, 433; fraxinifolia, 433Pentatoma sp.?, 215 Pentatomidæ, 214 Penthimia nigra, 218 Perameles barrowensis, 240 Perca fluviatilis, 414 Percalates fluviatilis, 37 Perigea capensis, 119 Periplaneta, 445 Pernis apivorus, 76, 109 Petrel, Stormy, 444 Petromyzon fluviatilis, 461; marinus, 461 Phalacrocorax carbo, 315, 350, 398; graculus, 350 Phalaropus fulicarius, 68, 111; hyperboreus, 67, 68 Phaneroptera falcata, 149 Phasgonura cantans, 24; caudata, 24; viridissima, 23 Pheasant, Silver, 113 Pholas, 383 Pholidoptera aptera, 148; griseoaptera, 148 Phora formicarum, 466 Phretoicus spinosus, 200 Phylloscopus bonellii, 241; collybita, 107; minor, 253; sibilatrix, 28, 253; trochilus, 28; trochilus eversmanni, 132 Phylloxera caryæ-scissa, 434 Pieris rapæ, 445 Pigeon, Wallace's Pileated Fruit, 330; Wood, feeding habits of, 40, -diphtheria in, 123 Pike, a monster, 274 Pilumonoides perlatus, 290 Pilumnus hirtellus, 291 Pinnotheres pisum, 285; veterum, Pipistrellus noctula, 154; pipistrellus, 155 Pipit, Meadow, 394; Rock, 79; Tree, 232; Water, 394, 395 Pirimela denticulata, 291 Pisa biaculeata, 294 Pitta vigorsi, 336 Planes minutus, 284 Plants and animals, dividing-line be-

tween, 116

Platalea leucorodia, 390 Platyphyllum concavum (Pterophylla camellifolia), 22 Plecotus auritus, 154 Plegadis falcinellus, 68 Pleuronectes flesus, 451; limanda, 450; microcephalus, 450; platessa, 450 Plotus anhinga, 246 Plover, Greater Sand, 332; Lesser Sand, 332 Podicipes cristatus, 30, 112 Pogonias cromis, 115 Pollachius brandti, a Japanese fish, Polybius henslowii, 287 Pomatias elegans, 47, 53 Pontophylus spinosus, 304 Porcellana longicornis, 298; platycheles, 298 "Porpoise-hide," correction respecting, 74 Portumnus biguttatus, 288; latipes, 287; variegatus, 382 Portunus arcuatus, 290; corrugatus, 290; depurator, 290; holsatus, 289; marmoreus, 289; puber, 289; pusillus, 288 Pratincola rubetra, 397, 443; rubicola, 107 Pratincole, Nordmann's, in Yorkshire, 399 Procellaria pelagica, 444 Psallus variabilis, 216 Psophus stridulus, 150 Pterocallis alni, 431; juglandicola, 431; tiliæ, 431 Pterocles senegallus, 440 Pterocomma pilosa, 430 Puffinus anglorum, 112, 144 Punctum pygmæum, 50, 52 Putorius nivalis, 28; putorius, 106 Pyrameis atalanta, 445 Pyramidula rotundata, 50, 52, 156; rupestris, 50, 52, 156 Pyrola rotundifolia, 23 Pyrrhula europæa, 31

Quail, 31; Brown-throated, in Oxfordshire, 469 Queensland Oyster-fisheries, Trachinotus ovatus an enemy to, 114

Raia batis, 460; clavata, 460; maculata, 460; marginata, 460; oxyrhynchus, 460; radiata, 460
Ranata linearis, 217
Raniceps raninus, 449

Raven, 31, 395; in Surrey, 398 Redpoll, 394, 395; Lesser, at Hampstead, 270; Mealy, at Hampstead, Recurvirosta avocetta, 316 Redshank breeding in North Devon, 255; carrying young (?), 211, 272, 273; feeding-habits of, 65, 211 Redstart, 32; Black, 394, 395 Redwing, 231 Reeve in Co. Mayo, 399 Renfrew, bird-notes from, 228 Rhina squatina, 459 Rhinolophus ferrum-equinum, 154; hipposiderus, 154 Rhizobius pilosellæ, 434 Rhombus lævis, 450; maximus, 449 Rhopalosiphum berberidis, 314; dianthi, 314; ligustri, 314; nymphæ, 314; ribis, 314 Rhynchota, hymenopterous parasites of, 213, 309, 340, 427 Roller in Cumberland, 156; Australian, 330 Rook, 31 Ruticilla phænicurus, 32, 253; titys, Salmo eriox, 452; fontinalis, 451;

Sandpiper, Baird's, in Norfolk, 124; Common, 31, 232, 333; Curlew, 335; Grey-rumped, 333; Pectoral, at Eastbourne Crumbles, 69; Terek, 334 Saxicola cenanthe, 79 Scarborough, bird-notes from, 78 Scrub-Fowl, 331 Schizoneura aquatica, 433; lanigera, 432; ulmi, 433 Sciæna aquila, 417 Scomber scomber, 418; scriptus, 418; thunnina, 377; thynnus, 418 Scorpæna dactyloptera, 415 Scotland - Weasel, 28; Millport Marine Biological Station, 201; Ornithological notes, 228 Scudderia curvicauda, 150 Scyllium canicula, 459; catulus, 459 Sea-birds in and round London, 349

salar, 390; trutta, 452

255, 316 Shrike, Red-backed, 31, 231 Silpha tristis, 445 Siphocoryne capreæ, 341; fæniculi, 341; pastinaceæ, 340; xylostei, 341

Selborne Society's magazine, 40 Shoveler breeding in North Devon,

Selache maxima, 458

Siphonophora spp.?, 221; absinthii, 311; artemisiæ, 311; chelidonii, 225; cichorii, 312; citrifolii, 312; granaria, 224; hieracii, 225; lactucæ, 309; longipennis, 310; millefolii, 225; olivata, 312; pelargonii, 309; pisi, 225; rosæ, 221; rosarum, 310; rubi, 309; scabiosæ, 223; sonchi, 311; tanaceti, 311; urticæ, 310 Siphonostoma typhle, 457 Siskin, 395 Smew in Middlesex, 77; near Scarborough, 78 Snake, Smooth, in Hants, 353 Snipe, Common, 232 Solea vulgaris, 451 Sorex araneus, 442; minutus, 106, 442; vulgaris, 352 Sparrow, House, 31, 394, 443; Hedge, 394 Spatula clypeata, 78, 113, 253, 316 Species, the making of, 357 Sphæromida, 391 Sphyradium edentulum, 52 Spirontocharis cranchii, 306; pusiola, 307 Spiroptera turdi, 337 Spoonbills at Yarmouth, 212 Stauronotus, 152 Stauronotus genei, 152; hauensteini, 152; moroccanus, 153 Stenamma westwoodi, 466 Stenobothrus, 145; melanopterus, 150; miniatus, 150; viridalus, 150 Sterna bergii, 56; fluviatilis, 65; fuliginosa, 438; media, 56; saundersi (?), 56 Steropus madidus, 445 Stethophyma turcomanum, 153 Stint, Eastern Little, 335 Stomaphis quercus, 432 Stork, 30 Strepsilas interpres, 111 Succinea elegans, 53; oblonga, 49, 53; putris, 53 Suffolk (East) Fish and Fisheries of, 361, 414, 447; sketch-map, 365 Surrey, bird-notes from, 231 Swallow, 31, 232, 395, 396; household visits by, 438 Swan, Whooper, near Scarborough, 78; at Carlisle, 188 Swift, early appearance of, 196, 348; Alpine, 395; Common, 393 Switzerland, Bonelli's Warbler in, 241, 394; some birds of, 30, 393 Sylphitreron wallacei, 330

Sylvia communis, 107; nisoria, 133 Syngnathus acus, 382, 457 Syrnium aluco, 109, 113 Syrrhaptes paradoxus, 390

Tantalus loculator, 246 Tectoris lineola var. banksi, 214 Terekia cinerea, 334 Tern, Sooty, near Barmouth, 438 Testacella haliotidea, 49, 52; maugei, 49, 52; scutulum, 49, 52 Tetrao tetrix, 77, 401 Tetrapturus albidus, a Japanese fish, 256 Tettigonia albifrons, 146; (Decticus) verrucivora, 145 Thamnotettix maritimus, 219; quadrinotatus, 219 Thamnotrizon, 149 Theragra chalcogramma, a Japanese fish, 258 Thia polita, 286 Thicknee in Cumberland, 197 Thrush, Filaria mavis in, 337; Rock, 394; Song, 31 Thyanta custator, 216 Tinca vulgaris, 455 Tit, Coal, 31,-breeding in Wilsden district, 75; Crested, 395; Great, 30 Titlark feeding young Cuckoos, 76 Torpedo nobiliana, 459 Totanus calidris, 255, 272, 273; fuscus, 189; glareola, 69; hypoleucus, 31; ochropus, 111; stagnatilis, 333 Trachinotus ovatus, an enemy to Queensland Oyster-fisheries, 114 Trachinus draco, 417; vipera, 417 Trachurus trachurus, 419 Trichoniscus pygmæus, 445 Tridactylus variegatus, 19 Trigla cuculus, 416; hirundo, 416; lineatus, 416 Tringa alpina, 1; bairdi, 124; fuscicollis, 124; maculata, 69; striata, 254; temmincki, 67 Tringoides hypoleucus, 333 Trioza centranthi, 220; diospyri, 221; magnoliæ, 221 Truxalis nasuta, 151 Trygon pastinaca, 460 Trygonoptera testacea, 37 Turdus merula, 31, 107; musicus, 31, 106; torquatus, 227, 252; viscivorus, 32 Tychea phaseoli, 434 Typholcyba, sp. ?, 220; douglasi, 220; hippocastani, 220; rosæ, 220 Typton spongiola (Alpheus edwardsii), 305

Tyrol, bird-notes from, 30, 78

Upogebia stellata (deltaura), 301 Upupa epops, 31, 69, 315

Vallonia costata, 52; pulchella, 50, 52

Vanellus vulgaris, 65

Variety of Brill, 450; Chaffinch, 315, 353; Field-Vole, 270; Moorhen, 138; Partridge, 138; Tree-Pipit (eggs), 107; Formica fusca (var. rubescens), 466

Vertebrate Fauna of Cheshire, 317 Vertigo antivertigo, 53; minutissima, 53; pusilla, 53; pygmæa, 53, 156

Vitrea alliaria, 50, 52; cellaria, 52; crystallina, 48, 50, 52; nitidula, 52; pura, 52; radiatula, 52; rogersi (glabra), 52

Vitrina cellaria, 156; pellucida, 50, 52, 156

Vole, Field, erythristic variety, 270

Wagtail sp.?, 31; Grey, 232, 336; White, 394

Wales—Ornithological records, 78; Eagle (sp.?), 349; Sooty Tern, 438

Warbler, Aquatic, 69; Barred, in Norfolk (Plate II.), 130; Bonelli's, in Switzerland, 241, 394; Garden, 394; Marsh, breeding in Bucks, 397; Sedge, 31; Willow, 395; Wood, 28, 394

Weasel, courage in a, 28; caught in Mole-trap (fig.), 195

Whale-fishery, Arctic, in 1908, 26 Whale, Hump-back, hunting the, in Natal waters (Plate I.), 54; parasites on, 62

Wheatear, 79, 231, 393

Whelk as food of Cod, 201

Whimbrel, feeding-habits of, 311; Eastern, 333

Whinchat, 394, 397, 443

Wigeon, 232; breeding in Cumberland, 191, 271, 351

Wilsden, bird-notes from, 278

Woodcock in Norfolk, 137

Woodpecker, Great Spotted and Lesser Spotted, breeding in Staffordshire, 29

Wren, 394; Golden-crested, 232 Wryneck in Yorkshire, 467

Xantho (Xanthodes) couchii, 291; hydrophilus, 291; incisus, 291 Xiphias gladius, 419

Yellowhammer, 31

Zælus bilobus, 437; longipes, 437 Zeus faber, 381, 418 Zoarces viviparus, 420

Zonitoides nitidus, 50, 52
Zoological Gardens of the World, list of, 161, 186, 233: Africa, 167; America, North, 169; America, South, 171; Asia, 172; Australasia, 175; Austria, 176; Belgium, 177; British Isles, 177, 186, 233; Denmark, 180; France, 180; Germany, 181; Greece, 184; Holland, 184; Hungary, 184; Italy, 184; Portugal, 185; Roumania, 186; Russia, 185; Spain, 185; Sweden, 185; Switzerland, 185; Turkey, 186; Preface, 161; Bibliography, 186

NEW SPECIES OF BRITISH ANIMALS DESCRIBED IN THIS VOLUME:-

NEMATOHELMINTHES.

Filaria mavis, Leiper . . . . . page 337

## PLATES.

		PAGE
Plate I. The Hump-back Whale (Megaptera longimana)	. to face	62
,, II. Immature Barred Warbler (Sylvia nisoria)	. ,,	121
,, III. Views in the Giza (Egypt) Zoological Gardens	. ,,	161
,, IV. Brill (Rhombus lævis), Variety	• ,,	361
	MI	
		,
ILLUSTRATIONS IN TEXT.		
Map of the Dogger Bank		122
Stones in the Gizzard of a Hooded Crow		134
Contents of the Stomach of a Heron		136
Weasel caught in Mole-trap		195
Common Mayfly (Ephemera vulgata): Larvule, Nymp	oh, and	264
Portrait of Thomas Southwell		355
Rough Sketch-Map of East Suffolk		365
Sketch-Map of Lundy and the North Devon Coast (sdistances)	showing	441
Sketch-Map of Lundy Island, showing soundings around th	o island	441
and the three banks	·	446
Formica sanguinea, Latr. (Gynandromorphs)		465



